Index for Volume 17 (1968)

COMPILED BY MARY SUE SCHNELL

Acanthiza
  ewingi, 323
  pusilla, 323
Acanthurus
  sandvicensis, 80
  triostegus sandvicensis, 80
Acarus, 213
Accipter
  cooperii, 299
  gentilis, 299
  g. atricapillus, 299
  nisus, 299
  striatus velox, 299
Adams, C. G., and D. V. Ager (eds.), Aspects of Tethyan biogeography (rev.), 334–336
Adaptation, ecological, 319–333
Adiantaceae, 157
Adiantum, 155–157
Aedes, many species, 426–437
Alaska, 305–318
Alburnus alburnus, 277
Alestes baremose, 286
Alewife, 278
Aloa
  aestivalis, 278
  ficta, 276
  mediocris, 274
  pseudoharengus, 274, 277
  sapidessima, 278
Amadon, Dean, Further remarks on the superspecies concept, 345–346
Amazilia rutila, 324
Ambystoma
  jeffersonianum, 222
  platineum, 226
  tigrinum mavortium, 54
  t. tigrinum, 54
  tremblayi, 226
Amines, biogenic, 232–244
Ammospermophilus
  leucurus, 25
  nelsoni, 25
Amphibian, 232–244
Analysis,
  cluster, 144–150
  electrophoretic, 23–30
  function, 70–75
  immunologic, 417–425
  multivariate, 48–63
  principal component, 246–255
  protein, 23–30
Anemia, 155–157
Anodonta, 203
Anomoea, 96
Anoura, 423
Anous
  stolidus, 292–295
  tenuirostris, 292–295
Anthocopa spp., 249, 254
Aphrodita, 213
Apodemus
  argenteus, 27
  speciosus, 27
  sylvaticus, 27
Application of blood protein electrophoretic studies to problems in mammalian taxonomy, 23–30
Aranea, 213
Arborimus
  longicaudus, 27
  silvicola, 27
Artibeus, 423
Artiodactyla, 28
Asca
  aphidioides, 262–270
  brachychaeta, 262–270
  garmani, 262–270
  neopallida, 262–270
  nesoica, 262–270
  nova, 262–270
  piloja, 262–270
Aschizomys
  andersoni, 26
  niigatae, 26
Ashmeadiella spp., 249, 254
Ashmole, N. Philip, Body size, prey size, and ecological segregation in five sympatric tropical terns (Aves: Laridae), 292–304
Ashmole, N. Philip, Competition and interspecific territoriality in *Empidonax* flycatchers, 210–212
Aspidiaceae, 157
Aspidium, 156–157
Asplenium, 156–157
Asterias, 213
Atelecyclidae, 183–184
Australoplax, 183

Baker, Robert J., see Forman, G. Lawrence, and

Ball, Ian R., Literature citation in taxonomic publications, 217–218
Bardack, David, review by, 337–338
Barnes, R. S. K., On the evolution of elongate ocular peduncles by the Brachyura, 182–187
Basford, Nancy L., John E. Butler, Charles A. Leone, and F. James Rohlf, Immunologic comparisons of selected Coleoptera with analysis of relationships using numerical taxonomic methods, 388–406
"BASIC," computer language, 64–69
Bat,
  big free-tailed, 55
  small-footed, 55
  vampire, 417–425

Bees, 247, 249, 253–254
Beetles, 95–97, 97–98, 388–406
Bill size, body size, and the ecological adaptations of bird species to competitive situations on islands, 319–333
Biogeography, 64–69
Birney, Elmer C., see Gerber, Jay D., and ——
Bisexual, 212
Bivalvia, 215
Blarina brevicauda, 53
Blechnum, 156–157
Blood, protein in, 23–30
Body size, prey size, and ecological segregation in five sympatric tropical terns (Aves: Laridae), 292–304
Bosmina longirostris, 282
Bothroles, 96
Botrychium, 155–157
Brachionus cernuus, 213
Brachylagus idahoensis, 24
Brachyura, 182–187
Brevoortia tyrannus, 274
Brooks, John Langdon, The effects of prey size selection by lake planktivores, 273–291
Bryozoa, 468–469, 470–472
Bryozoa versus Ectoprocta, 213–217
Buck and Hull: a critical rejoinder, 342–344
Bufo
  cognatus, 57
  many species, 232–244
  punctatus, 53
  w. woodhousii, 57
Bufonidae, 232–244
Burns, John M., A simple model illustrating problems of phylogeny and classification, 170–173
Butler, John E., see Basford, Nancy L., and ——
Butler, John E., and Charles A. Leone, Reply [to Crowson, R. A.], 97–98
Bythrotrephes longimanus, 276

Calidris
  alba, 305
  alpina, 305–317
  bairdii, 305–317
  canutus, 305
  ferruginea, 305
  fuscicollis, 305
  mauri, 305
  melanotos, 305–317
  pusillus, 305–317
  ruficollis, 305
Calosoma sp., 392
Cancer, 213
Cancridae, 183, 185
Canidae, 28
Canis
  familiaris, 28
  hallstromi, 28
  latrans, 28
  lupus, 28
Carabidae, 395, 400
Carduelis carduelis, 298
Carmichael, J. W., J. Alan George, and R. S. Julius, Finding natural clusters, 144–150
Carnivora, 28
Carollia, 423
Categorical ranks and evolutionary taxa in numerical taxonomy, 151–159
Cei, J. M., V. Erspamer, and M. Roseghini, Taxonomic and evolutionary significance of biogenic amines and polypeptides in amphibian skin. II. Toads of the genera *Bufo* and *Melanophryniscus*, 232–245
Centurus
  aurifrons, 324
  pygmaeus, 324
Cervidae, 28
Cervus
  canadensis, 28
  elaphus, 28
Characters,
  equivalence of, 477–479
  taxonomic, 355–387
Cheiropleura, 155–157
Chickadee,
  black-capped, 160–169
  Carolina, 160–169
Chlaenius tomentosus, 392, 394–404
Choeronycteris mexicana, 419
Christmas Island, 292–303
Chrotopterus auritus, 420
Cincindela punctulata, 392, 394–404
Cincindelidae, 400
Cirrhitus
  alternatus, 80
  pinnulatus, 80
Citellus
  lateralis, 24–25
  saturatus, 24–25
Classification, 170–173
Cleistostoma, 183
Clethrionomys
  californicus, 26–27
  gapperi, 26–27
  glareolus, 26–27
  rufocanus, 26–27
  rutilus, 27
Clupea harengus, 274
Clusters, natural, 144–150
Cnemidophorus
  costatus exsanguis, 223
  cozumelus rodecki, 223
  deppi cozumelus, 223
  flagellicauda, 223
  inornatus, 223
  neomexicanus, 223
  perplexus, 223
  sacki exsanguis, 223
  sonorae, 223
  stictogrammus, 223
  tesselatus, 223
  tigris, 228
  velox, 223
Coccothraustes coccothraustes, 298

Cochlea in multituberculates, the, 98
Coefficient, cophenetic correlation, 407–412
Coelom,
  evolutionary development, 192–208
  function in molluscs, 192–208
Coexistence and anatomical similarity in two genera of mites, *Veigaia* and *Asca*, 261–271
Coleoptera, 95–97, 97–98, 388–406
Competition and interspecific territoriality in *Empidonax* flycatchers, 210–212
Computer program for calculating degree of biogeographical resemblance between areas, a, 64–69
Concept of stasipatric speciation, the, 14–22
Concordance and discordance of taxonomic characters in *Drosophila* classification, 355–387
Copepod, calanoid, 275
Coregonus macrophthalmus, 276
Coremacera marginata, 476
Corniger, 77
Correlation, cophenetic, 407–412
Corystidae, 183
Cottontail,
  desert, 53, 56
  eastern, 53, 58
Coyote, 28
Crab, burrowing, 182–187
Cretaceous, 77
Cricetidae, 25–27
Cristivomer namaycush, 70–73
Crotalus horridus, 54
Crowson, R. A., Concerning immunotaxonomy of Coleoptera, 95–97
Cryptotis parva, 56
Culicidae, 426–437
Cynanthus latirostris, 324
Cyathea, 156–157
Cyatheaceae, 157
Cyclops
  bicuspidatus, 278
  b. thomasi, 282
  strenuus, 275
Cymopoliidae, 183
Cynaeus angustus, 97
Cynomys
  gunnisoni, 25
  leucurus, 25
  ludovicianus, 25, 58

Daphnia
  ambigua, 283
  catawba, 278
  cucullata, 290
  galeata, 285
  hyalina, 276
  lumholzi, 286
  pulex, 283
  retrocurva, 283
Davallia, 156–157
Deer,
  black-tailed, 55
  European red, 28
Definition of taxa, the, 345
Dennstaedtia, 156–157
Dennstaedtiaceae, 157
Dermacentor pictus, 12
Dermanyssidae, 31–47
Dermanyssus,
  many species, 31–47
  transvaalensis, 210
Dermestes, 11
Desmodontidae, 417–425
Desmodus
  rotundus, 417–425
  r. murinus, 422
Diaemus youngi, 421
Diaphanosoma brachyurum, 276
Diaptomus minutus, 278
Dicrurus
  andamanensis, 323
  hottentottus, 323
  montanus, 323
  paradiseus, 323
Dictya expansa, 476
Diglena, 213
Dimorphism, sexual, 118–119
Dineutes americanus, 392, 394–404
Dinophilus, 202
Diphylla ecaudata, 422
Diphyllobothrium latum, 473
Dipteridaceae, 157
Dipteris, 155–157
Discriminatory power of taxonomic characteristics in separating salmonoid fishes, the, 70–75
Distribution,
  animal, 48–63
  multivariate, 407–412
  Myripristis, 76–87
  vertebrate, 48–63
Distribution of North American mammals, 99–102
Divergence, taxonomic, 151–155
DNA, 446
Dog, domestic, 28
Drainage map of Mexico, a, 174–175
Drosophila, many species, 355–387
Dytiscidae, 395, 400
Dytiscus verticalis, 392, 394–404

Echinus, 213
Ectoprocta, 213–217, 468–469
Ectoprocta, Entoprocta, and Bryozoa, 470–472
Effects of prey size selection by lake planktivores, the, 273–291
Elaenia
  flavogaster, 333
  martinica, 333
Electrophoresis, 23–30, 389, 417
Elk, North American, 28
Empidonax
  hammondii, 211
  oberholseri, 210
  wrightii, 210
Endemism, 346–350
Enteroplea, 213

Entoprocta, 470–472
Eothenomys
kageus, 26
smithi, 26
Epicauta lemniscata, 392, 394–404
Epischura nordenskiöldi, 278
Equivalence of characters: pheneticist vs. phylogeneticist, a note on the, 477–479
Erethizon dorsatum, 54
Erspamer, V., see Cei, J. M., and ——
Eucosmodon, 341
Eudiaptomus vulgaris, 275
Eumeces anthracinus, 57
Euphylax, 183, 186–187
Eutamias
alpinus, 100
amoenus, 25
minimus, 25
sibiricus, 25
sonomae, 25, 100
ruficaudus, 25
townsendii, 25
umbrinus, 25
Evans, H. E., see Howden, H. F., and ——
Evarthrus sodalis, 392, 394–404
Evolution, coelomic, 192–208
Evolution of elongate ocular peduncles by the Brachyura, on the, 182–187
Experiments with various techniques of numerical taxonomy, 31–47

Factor analysis, 48–63
Farris, James S., Categorical ranks and evolutionary taxa in numerical taxonomy, 151–159
Farris, James S., Correction, 479
Finding natural clusters, 144–150
Fish,
planktivorous, 273–291
salmonoid, 70–75
Fisher, David R., A study of faunal resemblance using numerical taxonomy and factor analysis, 48–63
Fisher, David R., see Rohlf, F. James, and ——
Flycatcher,
dusky, 210–212
gray, 210–212
Hammond, 211
Food overlap among coexisting sandpipers on northern Alaskan tundra, 305–318
Forman, G. Lawrence, Robert J. Baker, and Jay D. Gerber, Comments on the systematic status of vampire bats (family Desmodontidae), 417–425
Fox, Richard C., Studies of late Cretaceous vertebrates. II. Generic diversity among multituberculates, 339–342
Frog,
common tree, 58
spotted chorus, 58
striped chorus, 55
'Funktions-Coelomtheorie' in der evolution der mollusken, die, 192–208
Further remarks on the superspecies concept, 345–346

Galeritula janus, 392, 394–404
Gamete, 443
Gecarcinidae, 183, 185
Gene concept, 443–447
Geomyidae, 24
Geomys
bursarius, 24
b. fugossicularis, 56
personatus, 25
George, J. Alan, see Carmichael, J. W., and ——
Gerber, Jay D., see Forman, G. Lawrence, and ——
Gerber, Jay D., and Elmer C. Birney, Immunological comparisons of four subgenera of ground squirrels, 413–416
Geryonidae, 183
Glaucomys
sabrinus, 25
volans, 25
Gleichenia, 156–158
Gleicheniaceae, 157
Glossophaga soricina, 418
Goldfinch, 298
Goneplacidae, 182–184
Goneplax rhomboides, 186
Gonochoristic, 212
Goodness of intuitive arrangements into time trends based on complex pattern, 256–260
Gopher, plains pocket, 56
Grackle,
common, 107–143
Florida, 108
northern bronzed, 107–143
Ridgway's, 118
Stone's, 118
Grades, clades, phenetics, and phylogeny, 350–353
Grammitis, 156–157
Grant, P. R., Bill size, body size, and the ecological adaptations of bird species to competitive situations on islands, 319–333
Grapsidae, 183, 185
Grasshopper, morabine, 14
Greenfield, David W., The zoogeography of *Myripristis* (Pisces: Holocentridae), 76–87
Gregg, John R., Buck and Hull: a critical rejoinder, 342–344
Gulo luscus, 100
Gygis alba, 292–295
Gymnophthalmus underwoodi, 224
Gyrinidae, 395, 400

Halobates, 293
Hapalocarcinidae, 183
Harpalus
caliginosus, 392, 394–404
pennsylvanicus, 392, 394–404
Hawfinch, 298
Heise, Helen, and Mortimer P. Starr, Nomenifers: are they christened or classified?, 458–467
Heloecius, 183

Heteromyidae, 27
Heteroplax, 183
Heterosis, 129–130
Higgins, Robert P., see Society of Systematic Zoology, Report of the Program Chairman for 1967
Hodges, Ronald W., see Society of Systematic Zoology, Report of the Secretary for 1967
Holmes, Richard T., and Frank A. Pitelka, Food overlap among coexisting sandpipers on northern Alaskan tundra, 305–318
Holocentrus
hastatus, 77
rubrum, 77
Holothuria, 213
Homology, 452–455
Homo sapiens, 462, 464
Hoplitis spp., 249, 254
Hoplodictya spinicornis, 476
Howden, H. F., H. E. Evans, and E. O. Wilson, A suggested revision of nomenclatural procedure in animal taxonomy, 188–191
Hull, David L., The operational imperative: sense and nonsense in operationism, 438–457
Hull, David L., The syntax of numericlature, 472–474
Hurlbutt, Henry W., Coexistence and anatomical similarity in two genera of mites, *Veigaia* and *Asca*, 261–271
Hybrid inferiority hypothesis, 139–140
Hybridization in the grackle *Quiscalus quiscula* in Louisiana, 107–143
Hydrochara obtusatus, 392, 394–404
Hydrophilidae, 395, 400
Hydrophilus triangularis, 392, 394–404
Hyla
crucifer, 54
versicolor, 58
Hylocichla
guttata, 324
ustulata, 324
Hymenophyllaceae, 157
Hymenophyllum, 156–157

Ilyoplax, 183
Imidazolealkylamines, 232
Immunodiffusion, 390
Immunoelectrophoresis, 389, 417
Immunologic comparisons of selected Coleoptera with analyses of relationships using numerical taxonomic methods, 388–406
Immunological comparisons of four subgenera of ground squirrels, 413–416
Immunotaxonomy, 388–406
Immunotaxonomy of Coleoptera, concerning, 95–97
Improper use of the word bisexual, 212
Indolealkylamines, 232–244
Interbreeding, chickadees, 160–169
International Conference on Numerical Taxonomy, 88–92
Introgression, 130–136

Jackson, R. C., review by, 336–337
Janzen, Daniel, review by, 93–94
Johnson, Murray L., Application of blood protein electrophoretic studies to problems in mammalian taxonomy, 23–30
Johnston, Richard F., see Society of Systematic Zoology, Report of the Editor for 1967
Jones, Meredith L., see Society of Systematic Zoology, Report of the Treasurer for 1967
Julius, R. S., see Carmichael, J. W., and ——
Julus, 213

Kaesler, Roger L., review by, 334–336
Kansas,
distribution of vertebrates in, 48–63
interbreeding of chickadees in, 160–169
Key, K. H. L., The concept of stasipatric speciation, 14–22
Keyacris scurra, 19

Lacerta
saxicola, 223
s. defilippi, 223
unisexualis, 223
Lagomorpha, 24
Lamellibranchia, 215
Laridae, 292–304
Latheticus, 96
Leone, Charles A., see Basford, Nancy L., and ——
Leone, Charles A., see Butler, John E., and ——
Leporidae, 24
Leptodora kindtii, 276
Lindsaea, 156–157
Liponyssoides, many species, 31–47
Literature citation in taxonomic publications, 217–218
Lizard,
iguanid, 220
teiid, 223–224
Louisiana, hybridization of grackles in, 107–143
Loxosoma, 214
Loxops
parva, 323
virens, 323
Lygodium, 155–157

Macrophthalmus, 183–184, 186
Mammal,
distribution in North America, 99–102
taxonomy, 23–30
Manidae, 24
Manis
javanica, 24
pentadactyla, 24
Marattiaceae, 157
Margulis, Lynn, and T. N. Margulis, A note on the equivalence of characters: pheneticist vs. phylogeneticist, 477–479
Margulis, T. N., see Margulis, Lynn, and ——
Marmota
broweri, 24
caligata, 24

flaviventris, 24, 100
marmota, 24
olympus, 24
Maslin, T. Paul, Taxonomic problems in parthenogenetic vertebrates, 219–231
Matonia, 155–158
Mayr, Ernst, Bryozoa versus Ectoprocta, 213–217
Mayrornis
lessoni, 323
versicolor, 323
McDowall, R. M., Oceanic islands and endemism, 346–350
Meadowlark,
eastern, 345
western, 345
Medusa, 213
Megacephala virginica, 392, 394–404
Melanophryniscus
moreirae, 242
stelzneri atroluteus, 242
s. stelzneri, 242
Meloidae, 395, 400
Mephitis mephitis mesomelas, 57
Menhaden, Atlantic, 274
Merinus, 96
Meromyza, 11
Mesocyclops edax, 278
Mexico, map of, 175
Microciona prolifera, 473
Microdipodops
megacephalus, 27
pallidus, 27
Microscelis
crassirostris, 321
madagascariensis, 321
Microtus
agrestis, 26
californicus, 100
canicaudus, 26
montanus, 26, 100
pennsylvanicus, 26
Mictyridae, 183
Miller, Robert Rush, a drainage map of Mexico, 174–175
Minnow, fatheaded, 283
Mite, 261–271
parasitic, 31–47
Model, three-dimensional, 246–250
Mole, eastern, 53
Mollusca, 192–208
Monoculus, 213
Morphology, nongeographic variation in, 118–120
Mosquito, 426–437
Moss, W. Wayne, Correction, 218
Moss, W. Wayne, Experiments with various techniques of numerical taxonomy, 31–47
Mouse,
coarse-haired pocket, 54
western harvest, 58
woods, 55, 56
Muir, John W., The definition of taxa, 345
Multituberculates, 98, 339–342
Multivariate assessment of interbreeding between the chickadees, *Parus atricapillus* and *P. carolinensis*, a, 160–169
Muridae, 27
Murray, Keith F., Distribution of North American mammals, 99–102
Muskrat, 57
Myotis
subulatus, 55
velifer, 418
Myripristis
a. amaenus, 81, 83–84, 86
a. tiki, 82, 84, 86
borbonicus, 81, 85, 86
chryseres, 81–83, 86
clarionensis, 78, 86
gildi, 85, 86
hexagonus, 82, 86
jacobus, 78, 86
kuntee, 84, 86
leiognathos, 78, 86
murdjan, 81, 85–86
parvidens, 82, 84–86
pralinius, 85, 86
trachyacron, 82, 86
violaceus, 84–86
vittatus, 81, 86
woodsi, 82–84, 86

Natrix sipedon, 56
Neopilina, 193, 197, 202
Neoplagiaulax, 341
Neoprocoela, 242
Neotoma floridana, 419
Nereis, 213
Nerita, 203
Neritina, 203
Nesospiza
acunhae, 323
wilkinsi, 323
Noctilio leporinus, 418
Noddy,
black, 292
blue-grey, 292
brown, 292
Nomenclator Zoologicus, Vol. 6 (1946–1955), 102
Nomenclature,
biological, 458–467
Linnaean, 473
zoological, 188–191
Nomenifers: are they christened or classified?, 458–467
Non-specificity, hypothesis of, 41–45
Notommata, 213
Number and kind of characters needed for significant numerical taxonomy, 474–477
Numerical classification of the Canadian species of the genus *Aedes* (Diptera: Culicidae), 426–437
Numerical taxonomy, see taxonomy, numerical
Numericlature, 472–474
Numerotaxonomy, see taxonomy, numerical

Oceanic islands and endemism, 346–350
Ochrotomys, 26
Ocypode
ceratophthalma, 183–184
gaudichaudii, 183
Ocypodidae, 182–183
Odocoileus hemionus, 55
Ommatocarcinus
arenicola, 186
coricensis, 186
fibriophthalmus, 186
macgillivrayi, 183, 186
Ondatra zibethicus cinnamominus, 57
On exact methods in systematics, 1–13
Oniscus, 213
Onychiurus, 265
Onychognathus
blythii, 323
frater, 323
Operational imperative: sense and nonsense in operationism, the, 438–457
Operationism, 438–457
Ophioglosseae, 157
Ophioglossum, 155–157
Ornduff, Robert, Index to plant chromosome numbers for 1966 (rev.), 336–337
Oryzaephilus, 95
Osmerus mordax, 283
Osmunda, 155–158
Osmundaceae, 157
Ostichthys, 78
Ouellette, R. P., and S. U. Qadri, The discriminatory power of taxonomic characteristics in separating salmonoid fishes, 70–75

Palorus, 96
Parectypodus, 341
Partition, taxonomic, 10–12
Parthenogenesis, 212, 219–230
Parus
atricapillus, 160–169, 324
a. septentrionalis, 163
carolinensis, 160–169
hudsonicus, 324
Pasimachus elongatus, 392, 394–404
Patterson, C., and P. H. Greenwood (eds.), Fossil vertebrates (rev.), 337–338
Pedicellina, 214
Pedicia hannai, 307
Peduncles, elongate ocular, 182–187
Peeper, spring, 54
Pelecypoda, 215
Perca flavescens, 277, 281
Perch, yellow, 277, 281
Perognathus hispidus spilotus, 54
Peromyscus
leucopus noveboracensus, 55
maniculatus, 25–26
oreas, 26
Perspectives on the Bryozoa: Ectoprocta question, 468–470
Peters, James A., A computer program for calculating degree of biogeographical resemblance between areas, 64–69
Phaeornis
obscura, 323
palmeri, 323
Phalangium, 213
Phenacomys intermedius, 27
Phenetics (see also taxonomy, numerical), 350–353, 477–479
Phenylalkylamines, 232
Philbrick, R. N., Proceedings of the symposium on the biology of the California Islands (rev.), 93–94
Pholadoris, 377, 384
Pholidota, 24
Phyllostomus discolor, 418
Phylogenetics, 477–479
Phylogeny, 170–173, 350–353
Phyllophaga sp., 392, 394–404
Physics, operationism in, 438–440
Pimephales promelas, 283
Pinnotheridae, 183
Pipistrellus subflavus, 422
Piranga bidentata, 324
Pitelka, Frank A., see Holmes, Richard T., and ——
Plagiostomum sorrentinum, 199
Planktivore, 273–291
Platypsaris aglaiae, 324
Plecotus townsendii, 418
Plectrypops, 78
Pliocene, 81
Podophthalmus vigil, 186–187
Poeciliops
formosa, 221
latipinna, 221
lucida, 222
sphenops, 221
Points of view, 95–102, 210–218, 339–353, 468–479
Polypeptides, 232–244
Polypodiaceae, 156–157
Polypodium, 156–157
Polyzoa, 468
Porcupine, 54
Portunidae, 182–183, 185
Portunus
brevimanus, 187
pelagicus, 186
sanguinolentus, 186
xantusii, 187
Poterion neptuni, 473
Prairie dog, black-tailed, 58
Primates, 24
Prionocera gracilistyla, 307
Procelsterna cerulea, 292–295
Proteriades spp., 249, 254
Priapus, 213
Prionoplax, 183
Protein, mammalian blood, 23–30
Prunus spinosa, 298
Pseudacris
clarkii, 58

nigrita, 55
Pseudemys floridana, 57
Psychology, operationism in, 440–443
Pteromys momonga, 25
Pterostichus chalcites, 392, 394–404
Ptilodus, 341
Publications, taxonomic, 217–218
Puffinus nativitatis, 295

Qadri, S. U., see Ouellette, R. P., and ——
Quiscalus
major, 119
mexicanus, 119
q. quiscula, 107–143
q. versicolor, 107–143
q. ridgwayi, 108
q. stonei, 108

Rank, categorical, 151–159
Rattlesnake, timber, 54
Rattus, 27
Reithrodontomys megalotis dychei, 58
Retropluma, 183
Retroplumidae, 183
Rising, James D., A multivariate assessment of interbreeding between the chickadees, *Parus atricapillus* and *P. carolinensis*, 160–169
RNA, 446
Rodentia, 24–27
Rohlf, F. James, Stereograms in numerical taxonomy, 246–255
Rohlf, F. James, and David R. Fisher, Tests for hierarchical structure in random data sets, 407–412
Rohlf, F. James, see Basford, Nancy L., and ——
Roseghini, M., see Cei, J. M., and ——
Rosewater, Joseph, review by, 334

Saccopteryx bilineata, 418
Salamander, 54, 222, 226
Salmo
gairdneri, 70–72, 74, 274, 277
trutta, 281
Salticella fasciata, 476
Salvelinus
alpinus, 70–73
fontinalis, 70–73, 281
malma, 70–73
Salvini-Plawen, Luitfried v., Die 'Funktions-Coelomtheorie' in der evolution der mollusken, 192–208
Sandpiper,
Baird's, 305–318
pectoral, 305–318
red-backed, 305–318
semipalmated, 305–318
Scalopus aquaticus caryi, 53
Scarabaeidae, 395, 400
Scarites subterraneus, 392, 394–404
Sceloporus undulatus erythrocheilus, 220
Science of diversity, the, 176–181
Schizaea, 155–157
Schizaeaceae, 156–157
Schopf, Thomas J. M., Ectoprocta, Entoprocta, and Bryozoa, 470–472
Sciomyza simplex, 476
Sciomyzidae, 475
Sciuridae, 24–25
Sciurus niger, 413
Scolopendra, 213
Scopimera, 183
Scorpio, 213
Segregation, ecological, 292–304
Selander, Robert K., see Yang, Suh Y., and ——
Sepedon
armipes, 476
fuscipennis, 476
tenuipes, 476
Septaria, 203
Sericornis
humilius, 323
magnus, 323
Shad, Mediterranean, 276
Shearwater, Christmas Island, 295
Shrew, short-tailed, 53
Sida crystallina, 276
Simple model illustrating problems of phylogeny and classification, a, 170–173
Simpson, George Gaylord, The cochlea in multituberculates, 98
Size factor in numerical taxonomy, the, 210
Skink, coal, 57
Skunk, striped, 57
Slider, saw-toothed, 57
Smelt, 283
Smirnov, E. S., On exact methods in systematics, 1–13
Snake,
common water, 56
Dekay, 55
lined, 53, 56
plains ground, 58
Sneath, P. H. A., Goodness of intuitive arrangements into time trends based on complex pattern, 256–260
Sneath, P. H. A., International Conference on Numerical Taxonomy, 88–92
Sneath, P. H. A., review by, 209
Society of Systematic Zoology,
List of members, supplement to no. 2, 65 pp.
Message from the President, 103
Minutes of the annual meeting, 103–106
Report of the Editor for 1967, 106
Report of the Program Chairman for 1967, 105–106
Report of the Secretary for 1967, 103–104
Report of the Treasurer for 1967, 104–105
Sonora episcopa, 58
Sorex bendirei, 100
Soule, Dorothy F., see Soule, John D., and ——
Soule, John D., and Dorothy F. Soule, Perspectives on the Bryozoa: Ectoprocta question, 468–470
Speciation,
allopatric, 21–22
geographic, 21

parapatric, 21–22
stasipatric, 14–22
Species,
concept, 447–452
definition, 219–221
uniparental, 221–225
Spermophilus
lateralis, 413
richardsonii, 413
tridecemlineatus, 413
variegatus, 413
Spilogale putorius, 28
Squid, 293
Squirrel,
flying, 25
ground, 413–416
Squirrelfish, 76–87
Starr, Mortimer P., see Heise, Helen, and ——
Stereograms in numerical taxonomy, 246–255
Sterna
fuscata, 292–295
lunata, 292
Steward, C. C., Numerical classification of the Canadian species of the genus *Aedes* (Diptera: Culicidae), 426–437
Steyskal, George C., The number and kind of characters needed for significant numerical taxonomy, 474–477
Steyskal, George C., The size factor in numerical taxonomy, 210
Storeria dekayi, 55
Strider, water, 293
Studies of late Cretaceous vertebrates. II. Generic diversity among multituberculates, 339–342
Study of faunal resemblance using numerical taxonomy and factor analysis, a, 48–63
Sturnella
magna, 345
neglecta, 345
Sturnira lilium, 418
Suggested revision of nomenclatural procedure in animal taxonomy, a, 188–191
Superspecies, concept of, 345–346
Sylvester-Bradley, P. C., The science of diversity, 176–181
Sylvilagus
audubonii, 24
a. neomexicanus, 53
bachmani, 24
floridanus, 24
f. llanensis, 53
f. similis, 58
nuttalli, 24, 100
Symplectoleuthis, 293
Symposium on newer trends in taxonomy (rev.), 209
Symposium: the effect of body size, 272–333
Syntax of numericlature, the, 472–474
Systematics, 1–13, 176–181
Systematics Association, presidential address, 176–181
Systematic status of vampire bats (family Desmodontidae), comments on the, 417–425
Tadarida
brasiliensis, 418
molossa, 55
Tamias striatus, 25
Tamiasciurus
douglasii, 25
hudsonicus, 25
Taxa,
definition of, 345
evolutionary, 151–159
Taxonomic and evolutionary significance of biogenic amines and polypeptides in amphibian skin. II. Toads of the genera *Bufo* and *Melanophryniscus*, 232–245
Taxonomic problems in parthenogenetic vertebrates, 219–231
Taxonomy (see also taxonomy, numerical),
animal, 188–191
Drosophila, 355–387
establishing relationships in, 4–10
mammalian, 23–30
non-linnean, 250
operationalism in, 451
selection of characteristics in, 70–75
Taxonomy, numerical (see also taxonomy; phenetics), 151–159, 210, 246–255, 388–406, 426–437, 472–474, 474–476, 477–479
International Conference, 88–92
study of faunal resemblance, 48–63
techniques of, 31–47
Taxonomy, phenetic, see taxonomy, numerical
Tenebrio, 95
molitor, 392, 394–404
Tenebrionidae, 395, 400
Tentaculata, 214–216
Territoriality, 210–212
Tern,
sooty, 292
tropical, 292–304
white or fairy, 292
Tests for hierarchical structure in random data sets, 407–412
Tetanura pallidiventris, 476
Tetraplax, 183
Tetraopes, 96
Thalasseus bergii, 292
Thermonetus ornaticollis, 392, 394–404
Theodoxus, 203
Throckmorton, Lynn H., Concordance and discordance of taxonomic characters in *Drosophila* classification, 355–387
Tipula carinifrons, 307
Tmethypocoelis ceratophora, 183–184
Toad, 232–244
canyon, 53
garden, 57
plains, 57
Tokudaia osimensis, 27
Tomlinson, Jack T., Improper use of the word bisexual, 212
Tribolium madens, 96
Tropidoclonion lineatum annectens, 53

Tropisternus lateralis, 392, 394–404
Tropocyclops prasinus, 282
Trout,
  brook, 281
  brown, 281
  rainbow, 274, 277
Tryblidiacea, 192–208
Tupaia blis, 24
Tupaiidae, 24
Typophorus, 96

Uca, 183
Urnatella, 214
Uroderma bilobatum, 421
Usinger, R. L., see Society of Systematic Zoology, Message from the President

Variation,
  geographic, 126–130
  nongeographic, 118–126
Veigaia
  alba, 262–270
  bakeri, 262–270
  dendritica, 262–270
  locha, 262–270
  mitis, 262–270
  nodosa, 262–270
  partitus, 262–270
  piliseta, 262–270
  pusilla, 262–270
Vertebrates,
  Cretaceous, 339–342
  distribution of Kansas, 48–63
  parthenogenetic, 219–231
Vireo
  modestus, 323
  osburni, 323
Vittaria, 155–157
Vole, heather, 27

Watt, J. C., Grades, clades, phenetics, and phylogeny, 350–353
Wilson, E. O., see Howden, H. F., and ——
Wolf, 28
Woodford, F. Peter (ed.), Scientific writing for graduate students (rev.), 338
Woods, Robert S., An English-classical dictionary for the use of taxonomists (rev.), 334

Xanthidae, 183–185

Yang, Suh Y., and Robert K. Selander, Hybridization in the grackle *Quiscalus quiscula* in Louisiana, 107–143

Zoobotryon, 213, 215
Zoogeography, 76–87
Zoogeography of *Myripristis* (Pisces: Holocentridae), 76–87
Zooplankton, 273–291
Zosterops
  albogularis, 323
  borbonica, 323
  curvirostris, 323
  hesitata, 323
  lateralis, 323
  mauritiana, 323
  mouroniensis, 321
  senegalensis, 321
  strenua, 323
  tenuirostris, 323
Zygogenesis, 212